
#### FRONT OF PACK LABEL



## **BACK INSIDE** 75mm 75mm $\rightarrow$ APHIDS I MEALYBUGS I GREENHOUSE WHITEFLY Two spotted mite I sooty mould I black scale CITRUS LEAFMINER HOW TO PREPARE: eco-oil™ Organic Insect Spray is a botanical oil based miticide/ insecticide that controls pests by contact. As such complete coverage of plants is important. For best results spray with **eco**-oil<sup>®</sup> Organic Insect Spray at the first sign of pest infestation. Repeat application may be necessary. Some plant species (like maidenhair ferns) are more sensitive than others so it is recommended that a pre-test be conducted on a small area of foliage before using. Do not exceed recommended dose rates. HOW TO MIX: Half fill the spray container with clean water. Add the required amount of eco-oil<sup>∞</sup> Organic Insect Spray, shake, then top up container with water and shake again. Frequent agitation (shaking) of the spray solution is recommended during application. CAUTION: DO NOT allow chemical containers or spray to get into drains, sewers, streams or ponds. DO NOT apply into or onto water, or allow material to drift outside the target area. STORAGE AND DISPOSAL: Store in the closed, original container in a cool, dry place out of the reach of children. Do not store in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in rubbish. 23m FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre 0800 POISON (0800 764 766). FOR EMERGENCIES ONLY CALL: 0800 220 770 (ALL HOURS). Distributed by Organic Crop Protectants Tel 0800 686 600 www.ecoorganicgarden.co.nz Registered to DuluxGroup (New Zealand) Pty Ltd The Gate, 373 Neilson St Onehunga 1061, Auckland HSNO Approval HSR000054. Refer to www.epa.govt.nz for information on Controls. Registered pursuant to the ACVM Act 1997, No. P9749. See www.foodsafety.govt.nz for registration conditions EAN BARCODE For further information visit ecoorganicgarden.co.nz 80% 9336099000692 The OCP drop device is a registered trade mark and eco-oil and HIPPO Enhanced are trade marks of Organi Crop Protectants. Citrus Leafminer image © Andrew Beattie

# FRONT SIDE

123mm

### BACK INSIDE

## BACK SIDE

## 71mm


123mm

	use this product		pisture stress.
INSECTICIDE USE			
PLANTS	PESTS	RATE	HOW TO APPLY
Vegetables, strawberries and ornamental plants	Two-spotted Mite, Aphids, Sooty mould	Mix 5mL of product to 1L of water	Spray when pests first appear. Apply two sprays 3 to 5 days apart. Repeat applications at signs of reinfestation. Spray both upper and underside of leaves to run-off. D0 NOT apply more than three sprays to plants within a 4 to 8 week period.
Vegetables and ornamental plants	Greenhouse Whitefly		
Ornamental plants	Mealybugs, Sooty mould	10 mL of product to 1L of water	Apply at early signs of Mealybugs and Scale. Apply two sprays at 7 day intervals. Repeat applications at signs of reinfestation. Spray upper and underside of leaves and branches to run-off.
Olive trees	Black scale		
Citrus	Citrus leafminer	10 mL of product to 1 L of water	Begin applying when the new flush growth is about 4 cm long. Apply every 5 to 14 days with presence of new flush growth. Ensure that the new flush leaves are sprayed both on top and underneath. Do not apply any more than 8 times per season.
SPRAY ADDITIVE	USE – TO IMPROV	E WETTING	AND STICKING OF SPRAYS
Spray additive for insecticides, fungicide and foliar fertilisers	15	5mL per 2 litres of spray mix	Rate is given as a guide only. Always follow directions on pesticide label where addition of a botanical oil concentrate is recommended.

empty container by wrapping in paper, placing in plastic bag and putting in rubbish. FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre

0800 POISON (0800 764 766).

FOR EMERGENCIES ONLY CALL: 0800 220 770 (ALL HOURS).



75mm

123mm