

WARNING

KEEP OUT OF REACH OF CHILDREN READ LABEL BEFORE USE

Slasher **ORGANIC WEEDKILLER**



CONTAINS: 525 g/L NONANOIC ACID AND 21.4 g/L ORANGE OIL TERPENES

- Controls Weeds, Moss and Algae in Gardens, Paths, Driveways, around Buildings and Spot Spraying in Lawns
- Non-Residual
- **Glyphosate-Free**

CONCENTRATE

Active Made From Natural Plant Oils

CONTENTS

ORGANIC CROP PROTECTANTS NEW ZEALAND

The Gate, 373 Neilson Street, Onehunga, Auckland 1061 Telephone: 0800 686 600 www.ecoorganicgarden.co.nz



GENERAL INSTRUCTIONS:

Slasher® Organic Weedkiller is a natural contact weedkiller containing pelargonic acid (nonanoic acid). Pelargonic acid occurs naturally in petatyonic acid (horatolic acid). Petatyonic acid occurs naturally in plants, including geraniums. It acts on the foliage, causing it to quickly dehydrate and collapse. Results are seen as browning and wilting, usually within 1 hour of application. To be effective, Slasher® Organic Weedkiller must come into contact with the green parts of the plant. Slasher® Organic Weedkiller will control many weed species and is non-selective. MIXING: Half fill spray tank and commence agitation. Slowly add required amount of Slasher® Organic Weedkiller. Top up with required quantity of water. Agitate well before commencing spray procedure. Do not mix more than is needed.

APPLICATION: Ensure that all weed foliage is totally covered with spray as Slasher® Organic Weedkiller is a contact spray only. Partial coverage will give only partial control. Apply by ground equipment only using, for example, spot sprayers.

Apply using a coarse droplet spray. Optimum application volumes are related to weed maturity and density. Contact with the weeds is essential for control, as such apply in sufficient water to ensure complete and thorough coverage of foliage.

DIRECTIONS FOR USE

35mm

DO NOT use on food or feed crop.

DO NOT apply if weeds are wet.

DO NOT apply if rainfall is expected before spray deposits dry on plant surfaces. DO NOT water treated area for 24 hours to achieve maximum results.

DO NOT apply if heavy rains or storms that are likely to cause runoff from soil are forecast within 3 days of application.

DO NOT irrigate to the point of runoff from soil for at least 3 days after application. DO NOT allow spray to contact or drift onto plants you do not want killed.

SITUATION	WEEDS	RATE	CRITICAL COMMENTS
Paths, Driveways, around Sheds, Gardens, Amenity horticulture areas, Protected cropping situations. Around Nursery stock. Spot Spraying in Lawns and Turf.	Seedling and young Annual and Perennial Weeds and Grasses including Fat Hen, Potato Weed, Stinking Roger, Couch Grass, Chickweed, Lambs Tongue, Peppercress, Capeweed, Common Storksbill, Clover.	70 mL per litre of water	Spray to completely cover weed surface. Reapplication at around 7 days may be necessary if regrowth occurs This product may damage lawn and turf when used as a spot spray. Perennial weed species may require repeated applications to obtain long term control. To control weeds in protected cropping situations apply on each side of the crop row taking care not to allow spray to contact any of the crop foliage.
Gardens, Paths, Rockeries, Tiled Roofs, Walls, Driveways, around Buildings, Spot Spraying in Lawns and Turf	Algae, Lichen, Liverwort, Moss.	70 mL per litre of water	Spray to completely cover plant surface. For driveways or heavy infestations, clean off by brushing after 3 days and reapply if necessary.

HSNO CLASSIFICATIONS: 6.3B, 6.4A, 6.5B, 9.1B

May cause allergic skin reaction. Causes mild skin irritation. Causes serious eve irritation. Toxic to aquatic life with long lasting effects.

DO NOT spray porous surfaces without prior testing. May cause discolouration on porous hard surfaces.

Storage: Store in closed original container out of reach of children.

Transport: DO NOT carry more than 1L of this product on a passenger service vehicle.

Safety Directions: Do not get in eyes, on skin or on clothing. The use of gloves is recommended when loading and mixing the substance. When using wear eve protection and protective gloves. Wash contaminated clothing before reuse.

Product Use: This substance must be applied by ground-based spot treatment methods only

Environmental Protection: Avoid release into the environment, DO NOT apply this product onto or into water.

Container Disposal: Ensure the container is empty. Dispose of empty container by wrapping in paper and putting in the rubbish, DO NOT reuse this container for any other purpose.

Product Disposal: Dispose of this product only by using according to the label. Never dispose of unused product down any indoor or outdoor drain. In case of spillage use an absorbent material to soak up and dispose of by wrapping and placing in rubbish.

First Aid: If poisoning occurs, contact a doctor or National Poisons Information Centre: Phone 0800 764 766. If swallowed, do NOT induce vomiting. Give a glass of water. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs get medical advice/attention. IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing, If eye irritation persists, get medical advice/attention.

In a transport emergency dial 111, Police or Fire Brigade. FOR EMERGENCY ONLY, CALL 0800 734 607 (ALL HOURS)

Approved pursuant to the HSNO Act 1996, Code HSR101392 See www.epa.govt.nz for approval controls.

Slasher is a registered trade mark and the OCP Drop Device is a trade mark of Organic Crop Protectants.





Magnification Barcode 9310428561214